



LIGHTS

تاروں سے ستاروں تک

Product Specification

# VALUE TRACK LIGHT



## WE EXCEL IN ALL YOUR LUMEN NEEDS





LIGHTS

# VALUE TRACK LIGHT

Product Specification

## Description

The Value Series LED Track Light is an attractive, stylish, versatile, cost-effective, and simple way to enhance product display areas in shops and shopping malls as these have especially been designed to meet all the requirements of commercial lighting and commodity display. Due to the use of a high-quality LED source, which has the characteristic of a pure spectrum, rich color, environmental protection, and energy-saving, the use of Value Series LED Track Light is the recommended solution for most product displays. These can be used to illuminate every space from a dark hallway to an office, to a cozy living room, or highlight paintings. The Value Series LED Track Lights come with a long life of 50,000 hours and up to 3 years warranty.

## Product Features

Housing	: Aluminum/PC
Power	: 10W, 20W, 30W, 40W
Finishing	: White RAL 9016 / Black RAL 9005
Control	: Triac Dimmable (Optional), DALI(Optional)
Installation	: Track
Color Temperatures	: 3000K, 3500K, 4000K, 5700K, 6500K
IP Rating	: 20
Operating Temperature	: -20 °C ~ 40 °C
Lifespan	: 50,000hrs @L70
Warranty	: Up to 3 Years

## Application Areas

- Shops (showcases, displays, sales counters)
- Lobbies and Corridors
- Shopping Malls
- Commercial Buildings
- Retail Outlets
- Restaurants
- Other Indoor Applications

## Product Benefits

- Flicker-free light
- Light uniformity
- Very low maintenance cost
- Long life span





LIGHTS

# VALUE TRACK LIGHT

Product Specification

## Technical Data

Model	Power (W)	CRI	Lumen (lm)	Efficiency (lm/w)*	Beam Angle	DxH (mm)	Gross Weight (Kg)
TL-VATL-65X-10-XX90-XX-XXX	10	≥90	900	90	24°/36°/60°	65x249	0.65 ± 0.3
TL-VATL-85X-20-XX90-XX-XXX	20	≥90	1,800	90	24°/36°/60°	85x269	0.92 ± 0.3
TL-VATL-100X-30-XX90-XX-XXX	30	≥90	2,700	90	24°/36°/60°	100x302	1.25 ± 0.3
TL-VATL-100X-40-XX90-XX-XXX	40	≥90	3,600	90	24°/36°/60°	100x302	1.25 ± 0.3

\* Efficiency shown is as per the highest lumen output

## Electrical Data

Wattage	10W	20W	30W	40W
Voltage Range	220~240 Vac			
Power Factor	≥0.90			
Input Current (max) mA	0.04A @ 230Vac	0.09A @ 230Vac	0.13A @ 230Vac	0.18A @ 230Vac
Line Frequency	50~60Hz			
Surge Protection	1 kV Line-Line, 2kV Line-Earth			
Total Harmonic Distortion	< 20%			

## Ordering Codes

Short Name Code	TL	-	VATL	-		-		-		-		-	
	17	-	52	-		-		-		-		-	
	Main Group		Sub Group		Size		Watt		CCT, CRI		Beam Angle		Misc.

Main Group		
Short Name	Code	Description
TL	17	Track Lights

Sub Group		
Short Name	Code	Description
VATL	52	Value Track Light

Size		
Short Name	Code	Description
65W	082	D,65xH,249mm, White
65B	083	D,65xH,249mm, Black
85W	052	D,85xH,269mm, White
85B	053	D,85xH,269mm, Black
100W	054	D,100xH,302mm, White
100B	055	D,100xH,302mm, Black

Watt		
Short Name	Code	Description
10	04	10 watt
20	08	20 watt
30	09	30 watt
40	13	40 watt

CCT, CRI		
Short Name	Code	Description
3090	15	3000K, Ra90
3590	12	3500K, Ra90
4090	13	4000K, Ra90
5790	16	5700K, Ra90
6590	14	6500K, Ra90

Beam Angle		
Short Name	Code	Description
24	17	24 Deg
36	18	36 Deg
60	02	60 Deg

Misc.		
Short Name	Code	Description
ND	001	Non Dimmable
DALI	004	DALI
TRIAC	006	Triac Dimmable







LIGHTS





# VALUE TRACK LIGHT

Product Specification

## Polar Diagrams



## Dimension Sketch



## HEAD OFFICE

192-Y BLOCK, COMMERCIAL AREA, PHASE III, DHA, LAHORE.  
PH: +92-42-35742396-9, FAX: +92-42-35742391

## BRANCHES

**SALES OFFICE & DISPLAY CENTER**  
120-Y BLOCK, COMMERCIAL AREA, PHASE III, DHA, LAHORE.  
UAN: 111-000-343

**FAISALABAD OFFICE**  
ALI MALL PLAZA, 1ST FLOOR, MAIN SUSAN ROAD, BANK MOR, 12-W-101, MADINA TOWN, FAISALABAD.  
PH: +92-41-8725542  
FAX: +92-41-8725642

**ISLAMABAD OFFICE**  
ISLAMABAD EXPRESSWAY, SERVICE ROAD, NEAR PARADISE COMPLEX ISLAMABAD.  
PH: +92-51-2617540-2  
FAX: +92-51-2617543

**MULTAN OFFICE**  
226-A, SHAH RUKN-E-ALAM COLONY, MULTAN.  
PH: +92-61-6770810-11  
FAX: +92-61-6213188

**PESHAWAR OFFICE**  
A-6, 1ST FLOOR, TOWN CENTER PLAZA, ABDAHARAH ROAD, UNIVERSITY TOWN, PESHAWAR.  
PH: +92-91-5700372-73  
FAX: +92-91-5700374

**KARACHI OFFICE**  
HOUSE NO. 34-D/7, BLOCK-6, PECHS, KARACHI.  
PH: +92-21-34395013-14  
FAX: +92-21-34300509

**SIALKOT OFFICE**  
HABIB MALL, OPPOSITE HOTEL THE JEEVAN'S, KASHMIR ROAD, SIALKOT.  
PH: +92-52-3252461-2  
FAX: +92-52-3252465

**HYDERABAD OFFICE**  
HOUSE NO. 80, ABDULLAH SPORTS CITY, MAIN SUPER HIGHWAY, HYDERABAD.  
PH: +92-22-6124570

**GUJRANWALA OFFICE**  
1ST FLOOR, 75 AL-REHMAN BUSINESS COMPLEX, MUMTAZ MARKET, GUJRANWALA.  
PH: +92-55-3846393-4  
FAX: +92-55-3846395

**QUETTA OFFICE**  
OFFICE#10, 1ST FLOOR, GULL PLAZA, SURAJ GUNJ BAZAR, SOLAR MARKET, QUETTA.  
PH: +92-81-4127207

MRK/PM/PS/VT/22/02